


NOTE: ALL LETTERING SHALL BE 1/8" MINIMUM HEIGHT.




All connections on assembly to be flanged.

TYPICAL BACKFLOW PREVENTER ASSEMBLY DETAIL

FOR LINE SIZES IN EXCESS OF 2" ϕ

NOTE: ALL LETTERING SHALL BE 1/8" MINIMUM HEIGHT.




All connections on assembly to be flanged.

TYPICAL BACKFLOW PREVENTER
ASSEMBLY DETAIL


FOR LINE SIZES IN EXCESS OF 2" ϕ

NOTE: ALL LETTERING SHALL BE 1/8" MINIMUM HEIGHT.



TYPICAL BACKFLOW PREVENTER
ASSEMBLY DETAIL


NOTE: ALL LETTERING SHALL BE 1/8" MINIMUM HEIGHT.



ATMOSPHERIC VACUUM BREAKER


FOR LINES SIZES UP TO AND INCLUDING 2"Ø

NOTE: ALL LETTERING SHALL BE 1/8" MINIMUM HEIGHT.




SHRUBBERY SPRAY HEAD

NOTE: ALL LETTERING SHALL BE 1/8" MINIMUM HEIGHT.




BUBBLER IRRIGATION HEAD

NOTE: ALL LETTERING SHALL BE 1/8" MINIMUM HEIGHT.




FIXED HEAD POP-UP NOZZLE SPRINKLER

NOTE: ALL LETTERING SHALL BE 1/8" MINIMUM HEIGHT.




FIXED HEAD STATIONARY SPRINKLER

NOTE: ALL LETTERING SHALL BE 1/8" MINIMUM HEIGHT.




AUTOMATIC DRAIN VALVE DETAIL
FOR SPRINKLER LINES IN
FREEZE-PRONE AREAS

NOTE: ALL LETTERING SHALL BE 1/8" MINIMUM HEIGHT.




SINGLE NOZZLE ROTARY POP UP SPRINKLER




SWING JOINT DETAIL

NOTE: ALL LETTERING SHALL BE 1/8" MINIMUM HEIGHT.




ROTARY SPRINKLER

NOTE: ALL LETTERING SHALL BE 1/8" MINIMUM HEIGHT.



SIDE VIEW



TOP VIEW

QUICK COUPLING VALVE DETAIL